



Millenia Productions, LLC

DBA La Palm Products

3201 N Mead, Wichita, KS 67219

316-425-2500 ph

316-425-2300 fx

www.lapalmproducts.com

MATERIAL SAFETY DATA SHEET

(Page 1 of 3)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: CALLUS REMOVER NEUTRALIZER

Manufacturer's Name

Business Telephone: 1-316-425-2500

Emergency Telephone: 1-316-425-2500

SECTION 2: PHYSICAL DATA

Specific Gravity 25/25 : .891-.902 Boiling Point : Deg C.
N/A

Vapor Pressure : Hg N/A Physical State : GEL

Odor : Fragrant Vapor Density [Air =1] : < 1

Solubility in Water : Completely Soluble

SECTION 3 : FIRE AND EXPLOSION HAZARD DATA

Flash Point (Closed Cup F) : N/A

Extinguishing Media : [X]Water []CO2 []Dry Chemical []Foam

[]Water Fog Special Fire Fighting Procedures : Firefighters
to cool fire-exposed containers, use blanketing effect.

Unusual Fire and Explosion Hazards: Non flammable

SECTION 4 : REACTIVITY DATA

Stability : Presents no significant reactivity hazard, not pyrophoric nor reactive with water.

Incompatibility (Materials to avoid): Avoid strong oxidizers.

Hazardous Combustion or Decomposition Products:

Does not form explosive mixtures with organic materials.

Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor **Hazardous Polymerization:**

Will not undergo spontaneous exothermic polymerization.

NFPA REACTIVITY CODE : 0

MATERIAL SAFETY DATA SHEET

(Page2 of 3)

PRODUCT NAME: **CALLUS REMOVER NEUTRALIZER**

SECTION 5 : SPILL OR LEAKAGE PROCEDURES

Cleanup of spills if accidental release of material:
Soak up with suitable absorbent or rinse with water.

Waste Disposal Methods:

Use Sanitary landfill in accordance with local,
state and federal regulations and consistent with
good
ecological practices.

SECTION 6 : SPECIAL PROTECTION INFORMATION

Respiratory : None

Ventilation : General Mechanical

Protective Gloves : skin contact is anticipated

Eye Protection : Splash proof goggles.

Other Protective Equipment : None

SECTION 7 : EMERGENCY AND FIRST AID PROCEDURES

Eye (contact) : In the event of accidental contact
with eyes, irrigate
copious amounts of water; if irritation persists
obtain medical advice. Skin (contact): Non-irritating
to skin.If products remain on the skin without
rinsing or unattended. If irritation begins rinse
with water.

Ingestion: In event of accidental ingestion rinse the mouth with water. No toxicity exists.

SECTION 8 : EXPOSURE DATA

Primary route of exposure : Skin Contact

The approximated vapor pressure of the mixture is NOT sufficiently high enough to be a significant route of exposure.

OSHA PEL : Not Determined

ACGIH TLV : Not Determined

Material is NOT found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

MATERIAL SAFETY DATA SHEET

(Page 3 of 3)

PRODUCT NAME: CALLUS REMOVER NEUTRALIZER

SECTION 9 : HEALTH HAZARDS

The identity of the individual components of this mixture is proprietary information and is regarded to be a SAFE when used according to instructions. In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents no health hazard.

The following effects we concluded as a result of animal laboratory testing on one or more of the individual components. PROLONGED SKIN CONTACT WILL CAUSE NO Skin Irritation.

The above information is based on data available to us and is believed to be correct. However no warranty, merchantability, fitness for any use or any other warranty is expressed or to be implied regarding the accuracy of these data, the result to be obtained from the use thereof, the hazards connected with the use of the material, or that any such use will not infringe any patent. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility resulting from its use. This information is furnished upon the condition that the person receiving it shall make his own determination for the suitability of the material for his particular purpose.