



Millenia Productions, LLC

DBA La Palm Products

3201 N Mead, Wichita, KS 67219

316-425-2500 ph

316-425-2300 fx

www.lapalmproducts.com

MATERIAL SAFETY DATA

NON ACETONE NAIL POLISH REMOVER SOLUTION

Section 1 - Product and Company Identification Section 9 - Physical & Chemical Properties
Section 2 - Composition /Information on Ingredients Section 10 - Stability & Reactivity Data
Section 3 - Hazards Identification Including Emergency Overview Section 11 - Toxicological Information
Section 4 - First Aid Measures Section 12 - Ecological Information
Section 5 - Fire Fighting Measures Section 13 - Disposal Considerations
Section 6 - Accidental Release Measures Section 14 - MSDS Transport Information
Section 7 - Handling and Storage Section 15 - Regulatory Information
Section 8 - Exposure Controls & Personal Protection Section 16 - Other Information

The information in this document is compiled from information maintained by the United States Department of Defense (DOD). Anyone using this information is solely responsible for the accuracy and applicability of this information to a particular use or situation.

Cornell University does not in any way warrant or imply the applicability, viability or use of this information to any person or for use in any situation.

Section 1 - Product and Company Identification

NON ACETONE NAIL POLISH REMOVER SOLUTION

Product Identification: NON ACETONE NAIL POLISH REMOVER SOLUTION
Date of MSDS: 11/21/2011 Technical Review Date: 11/21/2011
FSC: 6850 NIIN: LIIN: 00N018234
Submitter: N EN
Status Code: C
MFN: 01
Article: N
Kit Part: N

Manufacturer's Country: General Information Telephone: 316-425-2500
Emergency Telephone: 316-425-2500
MSDS Preparer's Name: N/P
Proprietary: N
Reviewed: N
Published: Y
CAGE: 1FR00
Special Project Code: N

Contractor Information
Contractor's Name: MILLENIA PRODUCTIONS
Contractor's Address1: 3201 N MEAD ST WITCHITA KS 67214
Contractor's CAGE: 1FR00

Section 2 - Compositon/Information on Ingredients
NON ACETONE NAIL POLISH REMOVER SOLUTION

Ingredient Name: ETHYL ACETATE (SARA III)
Ingredient CAS Number: 141-78-6 Ingredient CAS Code: M
RTECS Number: AH5425000 RTECS Code: M
=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 45
% Environmental Weight:
Other REC Limits: N/K
OSHA PEL: 400 PPM OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 400 PPM; 9192 ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity: 5000 LBS
DOT Reporting Quantity: 5000 LBS
Ozone Depleting Chemical: N

Ingredient Name: ISOPROPYL ALCOHOL (SARA III)
Ingredient CAS Number: 67-63-0 Ingredient CAS Code: M
RTECS Number: NT8050000 RTECS Code: M
=WT: =WT Code:
=Volume: =Volume Code:
>WT: >WT Code:
>Volume: >Volume Code:
<WT: <WT Code:
<Volume: <Volume Code:
% Low WT: % Low WT Code:
% High WT: % High WT Code:
% Low Volume: % Low Volume Code:
% High Volume: % High Volume Code:
% Text: 46
% Environmental Weight:
Other REC Limits: N/K
OSHA PEL: 400 PPM/500 STEL OSHA PEL Code: M
OSHA STEL: OSHA STEL Code:
ACGIH TLV: 400 PPM/500STEL;9192 ACGIH TLV Code: M
ACGIH STEL: N/P ACGIH STEL Code:
EPA Reporting Quantity:
DOT Reporting Quantity:
Ozone Depleting Chemical: N

Section 3 - Hazards Identification, Including Emergency Overview
NON ACETONE NAIL POLISH REMOVER SOLUTION

Health Hazards Acute & Chronic: INHAL: MAY CAUSE IRRITATION. EYES: MAY CAUSE IRRITATION. SKIN: SHOULD NOT CAUSE IRRITATION. INGEST: MAY BE HARMFUL IF SWALLOWED.

Signs & Symptoms of Overexposure:
SEE HEALTH HAZARDS.

Medical Conditions Aggravated by Exposure:
NONE SPECIFIED BY MANUFACTURER.

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route of Entry Indicators:
Inhalation: YES
Skin: NO
Ingestion: YES
Carcinogenicity Indicators
NTP: NO
IARC: NO
OSHA: NO
Carcinogenicity Explanation: NOT RELEVANT.

Section 4 - First Aid Measures
NON ACETONE NAIL POLISH REMOVER SOLUTION

First Aid:
INHAL: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES.
IF IRRITATION PERSISTS CALL A PHYSICIAN. SKIN: IF ADVERSE REACTION OCCURS,
WASH WITH SOAP AND WATER AND DISCONTINUE USE. ING EST: CALL A PHYSICIAN
IMMEDIATELY.

Section 5 - Fire Fighting Measures

NON ACETONE NAIL POLISH REMOVER SOLUTION

Fire Fighting Procedures:
USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).
Unusual Fire or Explosion Hazard:
EXTINGUISH ALL NEARBY SOURCES OF IGNITION.
Extinguishing Media:
CO2, DRY CHEMICAL.
Flash Point: Flash Point Text: 68.0F,20.0C

Autoignition Temperature:
Autoignition Temperature Text: N/A
Lower Limit(s): 2.2%
Upper Limit(s): 11.8%

Section 6 - Accidental Release Measures

NON ACETONE NAIL POLISH REMOVER SOLUTION

Spill Release Procedures:
MOP OR WIPE UP. FOR LARGE SPILLS, DIKE WITH SOIL OR OTHER NONCOMBUSTIBLE
ABSORBANT.

Section 7 - Handling and Storage

NON ACETONE NAIL POLISH REMOVER SOLUTION

Handling and Storage Precautions:

Other Precautions:

Section 8 - Exposure Controls & Personal Protection

NON ACETONE NAIL POLISH REMOVER SOLUTION

Respiratory Protection:

USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation:

LOCAL EXHAUST SATISFACTORY.

Protective Gloves:

PVC OR RUBBER GLOVES.

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Health & Safety Information: NONE SPECIFIED BY MANUFACTURER.

Section 9 - Physical & Chemical Properties

NON ACETONE NAIL POLISH REMOVER SOLUTION

HCC: F3

NRC/State License Number:

Net Property Weight for Ammo:

Boiling Point: Boiling Point Text: 171F,77C

Melting/Freezing Point: Melting/Freezing Text: N/A

Decomposition Point: Decomposition Text: N/K

Vapor Pressure: N/K Vapor Density: N/A

Percent Volatile Organic Content:

Specific Gravity: 0.862

Volatile Organic Content Pounds per Gallon:

pH: N/A

Volatile Organic Content Grams per Liter:

Viscosity: N/P

Evaporation Weight and Reference: N/K

Solubility in Water: SLIGHTLY.

Appearance and Odor: CLEAR, LIGHT YELLOW LIQUID.

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Section 10 - Stability & Reactivity Data

NON ACETONE NAIL POLISH REMOVER SOLUTION

Stability Indicator: YES
Materials to Avoid:
NONE.
Stability Condition to Avoid:
NONE.
Hazardous Decomposition Products:
MAY LIBERATE CO OR CO2.
Hazardous Polymerization Indicator: NO
Conditions to Avoid Polymerization:
NOT RELEVANT.

Section 11 - Toxicological Information

NON ACETONE NAIL POLISH REMOVER SOLUTION

Toxicological Information: N/P

Section 12 - Ecological Information

NON ACETONE NAIL POLISH REMOVER SOLUTION

Ecological Information:
N/P

Section 13 - Disposal Considerations

NON ACETONE NAIL POLISH REMOVER SOLUTION

Waste Disposal Methods:
PLACE IN DOT APPROVED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS.

Section 14 - MSDS Transport Information

NON ACETONE NAIL POLISH REMOVER SOLUTION

Transport Information:
N/P

Section 15 - Regulatory Information
NON ACETONE NAIL POLISH REMOVER SOLUTION

SARA Title III Information:
N/P
Federal Regulatory Information:
N/P
State Regulatory Information:
N/P

Section 16 - Other Information
NON ACETONE NAIL POLISH REMOVER SOLUTION

Other Information:
N/P

HMIS Transportation Information
Product Identification: **NON ACETONE NAIL POLISH REMOVER SOLUTION**
Transportation ID Number: 22922
Status Code: C

Container Information
Unit of Issue: NK
Container Quantity: NK
Type of Container:
Net Unit Weight:
Article without MSDS: N
Technical Entry NOS Shipping Number:
Radioactivity:
Form:
Net Explosive Weight:
Coast Guard Ammunition Code:
Magnetism: N/P
AF MMAC Code:
DOD Exemption Number:
Limited Quantity Indicator:
Multiple Kit Number: 0
Kit Indicator: N
Kit Part Indicator: N
Review Indicator: Y
Additional Data:

Department of Transportation Information
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
DOT PSN Code: GJJ
Symbols: G
DOT PSN Modifier:
Hazard Class: 3
UN ID Number: UN1993
DOT Packaging Group: II
Label: FLAMMABLE LIQUID
Special Provision(s): T8,T31
Packaging Exception:
Non Bulk Packaging: 202
Bulk Packaging: 242
Maximum Quantity in Passenger Area: 5L
Maximum Quantity in Cargo Area: 60 L
Stow in Vessel Requirements: B
Requirements Water/Sp/Other:

IMO Detail Information
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMO PSN Code: HIN
IMO PSN Modifier:
IMDG Page Number: 3230
UN Number: 1993
UN Hazard Class: 3.2
IMO Packaging Group: I/II
Subsidiary Risk Label: -
EMS Number: 3-07
Medical First Aid Guide Number: T

IATA Detail Information
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA PSN Code: MBV
IATA PSN Modifier:
IATA UN Id Number: 1993
IATA UN Class: 3
Subsidiary Risk Class:
UN Packaging Group: II
IATA Label: FLAMMABLE LIQUID
Packaging Note for Passengers: 305
Maximum Quantity for Passengers: 5L
Packaging Note for Cargo: 307
Maximum Quantity for Cargo: 60L
Exceptions:

AFI Detail Information
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Symbols: *
AFI PSN Code: MBV
AFI PSN Modifier:
AFI UN Id Number: UN1993
AFI Hazard Class: 3
AFI Packing Group: II
AFI Label:

Special Provisions: P5
Back Pack Reference: A7.3

HAZCOM Label Information

Product Identification: NON ACETONE NAIL POLISH REMOVER SOLUTION

CAGE: 1FR00

Assigned Individual: N

Company Name: MILLENIA PRODUCTIONS

Company Street Address: 3201 N MEAD WITCHITA KS 67214

Health Emergency Telephone: Label Required Indicator: Y

Date Label Reviewed:

Status Code: C

Manufacturer's Label Number:

Date of Label: 11/18/2011

Year Procured: N/K

Organization Code: G

Chronic Hazard Indicator: N

Eye Protection Indicator: YES

Skin Protection Indicator: YES

Respiratory Protection Indicator: YES

Signal Word: DANGER

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Severe

Reactivity Hazard: None